

# The NFL Coaching Network: Analysis of the Social Network Among Professional Football Coaches

Andrew Fast and David Jensen

Department of Computer Science  
University of Massachusetts  
Amherst, MA 01003  
afast@cs.umass.edu, jensen@cs.umass.edu

## Abstract

The interactions of professional football coaches and teams in the National Football League (NFL) form a complex social network. This network provides a great opportunity to analyze the influence that coaching mentors have on their protégés. In this paper, we use this social network to identify notable coaches and characterize championship coaches. We also utilize the coaching network to learn a model of which teams will make the playoffs in a given year. Developing comprehensive models of complex adaptive networks, such as the network of NFL coaches, poses a difficult challenge for researchers. From our analysis of the NFL, we identify three types of dependencies that any model of complex network data must be able to represent.

## Introduction

At the end of every National Football League (NFL) season, underperforming teams seek to improve their prospects for the upcoming season by making changes in their coaching staff. Teams generally consider many characteristics of a coaching candidate including personality, the type of “system” a coach runs, how a coach relates to players and many others. Ultimately, teams seek the coach with the combination of skills that will help the team win the most games in the future.

That combination, however, is difficult to determine and teams often resort to other methods of choosing coaches. The primary alternative is examining a coach’s coaching “ancestry”; examining who the candidate has worked with in the past and whether those mentors are successful coaches. Considering this social aspect of coaching gives rise to *coaching trees*. Like family trees, coaching trees record the coaching ancestors and descendants for each coach. Coaching trees are often cited by fans and the media alike in the context of hiring a new coach or discussing the accomplishments of a well regarded coach. Rather than considering coaching trees individually, the work presented in this paper examines the network of overlapping coaching trees to identify characteristics of successful coaches and the NFL as a whole.

Understanding this network has important implications not only for observers of the game but also for those seeking to improve the rate of minority hiring in the NFL. The league has encouraged the consideration of minority coaching candidates through the implementation of the so-called Rooney rule which requires teams to interview at least one minority candidate for any head coach opening. Despite this rule and recent minority hirings, minority coaches continue to be underrepresented. Michael Smith of ESPN.com writes that the minority hiring problem is not an issue of finding talented minority coaches but rather an issue of networking as teams tend to hire familiar coaches instead of unknown candidates. (Smith 2006)

In this paper we analyze the network of NFL coaches and teams to learn statistical models of successful coaches with the goal of understanding how the coaching network influences the hiring and success of coaching candidates. In the following sections, we present a number of facts and models that begin to identify the significant interactions in the NFL and suggest important facts for teams to consider when making coaching decisions. Finally, we propose an initial joint model of the variables that characterize the coaches and teams in the NFL and discuss the necessary components of models of complex adaptive networks, such as the network of NFL coaches.

## Data Description

The data consist of the network of NFL coaches and teams dating back to the inception of the NFL in 1920 through the conclusion of the 2005 season, the most recent NFL season. This data are limited to the coaches who have been affiliated with at least one of the 32 existing franchises. In the early days of the league there were many franchises that only existed for a few seasons. While interesting from a historical perspective, we do not consider the coaching staffs of those teams. For the purposes of our analysis, we considered franchises that have changed cities over the years to be a single entity. For example, the Tennessee Titans used to play in Houston and were called the Oilers but are considered to be the same franchise. For each franchise, we have a record of the head coaches, assistant coaches, and win-loss-tie record for every season that the franchise has fielded a team. In addition, the data incorporates playoff information for every season from 1920 through 2005. From 1970 to the present,




Figure 1: The entities, relations and attributes of the NFL coaching network from 1920 to the present

the data also contain the number of points scored and the number points allowed by a team. The coaching staffs of each team through the 2000 season were provided by the Professional Football Research Association <sup>1</sup>. The win-loss and playoff records of each team were obtained from *pro-football-reference.com*. A graphical representation of the data schema can be viewed in Figure 1.

### Overview of Coaching Networks

Figure 3 shows the network of mentor relationships among championship coaches in the NFL. This figure contains all coaches who have won a league or conference championship game and any non-championship coach who has worked with at least two championship coaches. Using an off-the-shelf hierarchical graph layout <sup>2</sup>, Paul Brown was placed at the top of the graph. This is not a surprise given that Paul Brown was the founding coach of two different NFL franchises and is responsible for introducing football as it is known today. In an interview with the Boston Globe, Bill Belichick, head coach of the New England Patriots and no stranger to winning, called Paul Brown “the greatest innovator as a coach the game has ever had...Every single thing he did was geared to maximize a team’s performance in terms of winning” (Ryan 2005). This innovation is plainly evident as Paul Brown’s influence is traced through his coaching descendants (including Belichick himself) touching almost every corner of the graph. One innovation that Paul Brown is known for is the *West Coast Offense*. This offense is based on movement and precisely timed plays and has changed the way the game is played. Bill Walsh, one of Paul Brown’s disciples, helped to perfect the West Coast offense and led the San Francisco 49ers to three Super Bowl titles in the 1980’s and 1990’s (in addition to two more Super Bowls after Walsh’s retirement). Bill Walsh’s coaching tree can be found at the lower left of Figure 3. Note the four Super Bowl winners that trace their coaching lineage to Bill Walsh.

As the NFL has grown and become more specialized, the size of the coaching staff has also increased. The typ-

<sup>1</sup> www.footballresearch.com

<sup>2</sup> www.graphviz.org




Figure 2: (a) This plot demonstrates the growth of coaching staffs in NFL over time (b) Despite the growth in coaching staff size shown in (a), the number of coaches produced by the most prolific coaches remains consistent over time.

ical staff now includes coaches for strength and conditioning, defensive quality control, and others in addition to the more traditional offensive coordinators, defensive coordinators and position coaches (Battista 2006; Liu & Marini 2004). This has led to a large increase in the number of assistant coaches that a head coach mentors over the course of his career (See Figure 2(a)). While there has been marked growth in the number of coaches mentored over time, the number of coaches produced by the most prolific coaches remains consistent over time. (Figure 2(b)). Table 1 lists the coaches who have produced five or more head coaches and have also won three or more championships. These coaches are responsible for more than half of all Super Bowl victories (24/40).

### Understanding the Network of NFL Coaches

As mentioned above, the network of coaches plays prominently into hiring decisions in the NFL. Unfortunately, it is difficult to know in advance if hiring a particular coach is a good idea. Some coaches vastly exceed expectations while others never live up to their potential. We seek to develop models of the network among NFL coaches to better infer characteristics of coaches based on their interactions with other coaches as well as their performance with previous coaching positions. The NFL coaching network is an example of a broader class of complex adaptive networks that are often of interest to researchers. In addition to inferring characteristics of coaches, we seek to learn how the interactions among a coaching staff influence the performance of their team in a given year. In this paper, we highlight interactions among coaches and teams that begin to describe the types of dependencies present in these data. First, we examine the relationships between coaches and their mentors and characterize the influence that championship coaches have on their protégés. Second, we utilize the network of coaches to make predictions about the playoff success of teams.




Figure 3: The network among championship coaches in the NFL. The dark grey (red) nodes indicate coaches who have won a Super Bowl. Light grey (green) indicates a league championship victory. White nodes indicate coaches with no championships or Super Bowls. The graph includes all championship coaches and additional coaches who are connected to 2 or more championship coaches. Links indicate the *work-under* relation and point from the head coach to his assistants.

Name	First Year	Num. Years Head Coach	Playoffs	Champs	Super Bowls	Proteges	Head Coaches Produced	Betweenness
George Halas	1920	40	9	5	0	22	11	19078
Weeb Ewbank	1949	20	4	3	1	23	11	21241
Vince Lombardi	1954	10	6	5	2	17	7	1515
Tom Landry	1954	29	18	5	2	27	9	21159
Chuck Noll	1960	23	12	4	4	35	6	32590
Don Shula	1960	33	19	6	2	39	9	37071
Bill Walsh	1960	10	7	3	3	23	9	33558
Hank Stram	1960	17	5	3	1	22	7	18935
Bud Grant	1967	18	12	4	0	19	7	6936
Marv Levy	1969	17	8	4	0	36	9	20803
Dan Reeves	1970	23	9	4	0	66	10	60265
Bill Belichick	1976	11	5	3	3	45	6	51311
Joe Gibbs	1978	14	9	4	3	41	6	21533
Bill Parcells	1979	18	9	3	2	47	9	29559
Mike Holmgren	1986	14	10	3	1	41	7	42420

Table 1: Coaches who produced 5 or more head coaches and won 3 or more championships. These 15 coaches account for more than half of all Super Bowl victories (24/40).

### Identifying Championship Coaches

As in most professions, the performance of an NFL head coach depends on the skills developed while training. We examined a number of characteristics of the coaches who mentor assistant coaches trying to understand how a coach becomes a championship coach. For our purposes we considered a championship coach to be someone who has coached in a Super Bowl or won a league championship prior to the creation of the Super Bowl in 1967. Sometimes it is said that coaches are “paying their dues” working as an assistant coach for a number of years with a few different teams before becoming a head coach. It is reasonable to expect that a coach who has worked under a number of mentors would have gathered a broad range of skills and experience making him a prime candidate for a head coaching position. We found this not to be the case in the NFL through the 2005 season. Championship coaches work with significantly fewer ( $p \leq 0.001$ ) mentors than non-championship coaches. (See Figure 4). Instead of “paying dues”, the most talented assistant coaches tend to stay with a single mentor until they are promoted into a head coaching position.

Given that successful coaches only work for a small number of mentors, if we can characterize those mentors then it would be possible to identify prospective championship coaches. As is evident in Figure 5(a), there are two types of championship coaches: those who produce many future head coaches ( $\geq 5$ ) and those who do not. Out of 61 championship coaches recorded in the data, 30 produced five or more future head coaches and 31 produced fewer than five future head coaches. Intuitively, it is expected that coaches who mentor many future head coaches are also likely to produce many future championship coaches. Figure 5(b) confirms that intuition for the NFL. Using a linear regression model, we can estimate the dependency between the number of future championship coaches a coach will produce and the number of head coaches produced. The slope of the regression line is significant ( $p \leq 0.001$ ).




Figure 4: Distribution of the number of mentors of championship and non-championship coaches. Head coaches who win championships have significantly fewer mentors than non-championship coaches. ( $p \leq 0.001$ )

Because coaches who produce many head coaches also produce many championship coaches, we learned a conditional probability model to characterize those coaches who have produced five or more head coaches. This model is shown in Figure 6. Our model was learned using the relational probability tree (RPT) algorithm (Neville *et al.* 2003). Designed with heterogeneous data in mind, the RPT searches over possible aggregations and thresholds of attributes appearing in the data. For example, over his career a coach will work for a number of teams. Possible aggregations include but are not limited to the number (or degree) of teams a coach has worked for, the average number of wins of a coach’s teams, or the maximum number of wins scored by any team a coach has worked for. In the NFL data, the feature ranked most highly by our model is the degree of




Figure 5: (a) This plot compares the number of head coaches produced by championship coaches to the number of head coaches produced by non-championship coaches. (b) Coaches that produce many head coaches also produce many future championship coaches. The slope of the regression line is significant ( $p \leq 0.001$ ). See Table 1 for championship coaches who produce many future head coaches.

teams that a coach has worked for, with a threshold of ten seasons. As expected, successful coaches spend more years as a head coach than unsuccessful coaches. It is rare for a team to fire a coach who produces winning teams, and championship coaches who happen to be unemployed typically do not stay unemployed for long. It is rare for a coach produce five or more championship coaches and have won a championship after having been a head coach for ten or fewer years. If they have worked for at least ten years as a head coach, then the next best feature selected by our model is the count of teams that have won fewer than four games in a season. A NFL season is 16 games long, a team that wins four or fewer games is typically at the bottom of its conference. If a coach has had five or more teams that won four or fewer games, then that coach is not likely to be successful over the long term and consequently won't produce many future head coaches. Note that very few coaches in the NFL data fall into this category. As expected, the majority of championship coaches tend to coach for many years and coach winning teams. This model performs with accuracy of 0.804 and area under the ROC curve (AUC) of 0.811. As shown in Figure 6, a feature consists of the aggregator and value used to compute the feature score and the entity, attribute and threshold that the score is computed over. We use *EntityName.attribute* to distinguish between similarly named attributes on different object types.

Unfortunately, this model does not provide much help in suggesting methods for identifying good coaching mentors. The input to the model included many attributes of coaches including wins and playoff performance. Since those feature were not chosen by the model, it implies that different coaches have different recipes for winning, and winning coaches continue to have jobs in the NFL.




Figure 6: This is a learned relational probability tree (RPT) which characterizes coaches who have produced five or more head coaches using the attributes of a coach, the attributes of the teams he has coached, and the attributes of his mentors. Features are computed by aggregating attributes on particular related objects and are identified by *EntityName.attribute*. Probabilities are Laplace corrected values.

### Identifying Playoff Teams

Each year NFL teams construct their coaching staff in order to maximize their chances of making it to the playoffs and winning the Super Bowl. Using the social network among coaches, we can empirically determine the effect a coaching staff has on the playoff success of teams. Obviously, the performance of teams in any given season also depends greatly on the players involved. However, we demonstrate that coaching histories have a significant effect on a team's probability of making the playoffs. (See Figure 7).

We learned a conditional model predicting which teams will make the playoffs given the coaching histories of the coaching staff for that year. Our model considered the attributes of the head coaches, assistant coaches, each of the past teams that those coaches have worked for and any mentor coaches they have worked under. As described in the previous section, we used the relational probability tree algorithm to learn this model. The model, shown in Figure 8, identifies a number of factors which determine a team's playoff success. This model also introduces some new notation. *HeadCoach->PastTeam* indicates an aggregation over PastTeams coached by the head coach.

The feature with the highest score in our model is *HeadCoach.year\_with\_team <= 1*. Not surprisingly, teams coaches by first-year coaches tend not to make the playoffs. If a coach has been with a team for more than one season, then the features selected by our model are aggregations of past playoff performance and coaching experience. Our model shows that the experience of the assistant coaches also contributes to the success of team. If a team has assistant coaches who have made the playoffs at least 34% of the time, then the probability of that team making the playoffs is increased. It is also interesting that mentor coaches have an effect on playoff success. If a team has a first-year




Figure 7: Success of our learned model predicting playoffs appearances by teams between 1970 and 2005. The precision at playoff level is the number of teams correctly predicted to be in the playoffs divided by the number of playoff teams for each year.

coach who has a high proportion of mentors who have won championships then the probability of that team making the playoffs increased. While success in the first year is limited, teams who hire accomplished coaching staffs should expect to be successful within a few years.

We evaluated this model using precision at playoff level. In each season there are a limited number of teams that make the playoffs from each conference (e.g., in recent seasons, six teams from each conference make the playoffs). The precision of the model is the number of teams correctly predicted to be in the playoffs divided by the number of playoff teams for each year. Like a sportswriter making pre-season playoff picks, precision at playoff level evaluates how many of our “pre-season picks” went on to make the playoffs. We ranked the teams from each conference according to our model and selected our playoffs picks from the top of each ranking. If multiple teams were tied for the final playoff spot in a conference, we computed the expected precision of filling that spot by choosing randomly among the tied teams. On historical data from 1970 through 2005, our model achieves 0.63 mean precision at playoff level. We compare our model against two baselines: a simple model which simply predicts the same results as the team in the previous year (0.57 mean precision) and an analytical computation which computes the precision when picking playoffs teams at random without replacement (0.37 mean precision). When comparing the means with a t-test, our learned model performs significantly better ( $p \leq 0.03$ ) than just predicting last year’s results.




Figure 8: This is a learned relational probability tree model which models the probability of a team making the playoffs based on the coaching staff, previous teams that the coaching staff has coached, and mentor coaches. Probabilities reported are Laplace corrected values.

One of the popular credos of NFL fans is that on “any given Sunday” any team can beat any other team. Despite this credo, it is often the case that playoff teams remain constant from year to year. Both our model of playoff success and the simple model of using the previous year rely on this fact to make successful predictions. Based on the results of our model it appears that playoff consistency is in decline. There are three distinct eras of NFL history that appear in Figure 7. The first era occurs between 1970 and 1982. The modern NFL was created in 1970 by the merger of NFL with the American Football League (AFL), an upstart conference founded in 1960. In this era, there was strong consistency among the playoff teams from year to year which allows the previous year model as well as our coaching history model. In 1982, there was a strike by the players which resulted in a short season and an expanded playoff field that increased the chance that a team would make the playoffs. The NFL allowed free agency in 1992 and implemented a cap on team payroll (i.e., a salary cap) in 1994. Based on the performance of the RPT model, coaching histories have the most effect on playoff performance in years with significant change in the NFL. In 1982 and 1990 the playoff field was expanded, 1992 marks the start of free agency, and 1994 marks the start of the salary cap. In each of those years, our model based on coaching histories out performed the previous year model. After the salary cap took effect in 1994, the predictive capability of both our model and the previous year model begins to decrease towards random. The combination of free-agency and the salary cap causes a lot of movement among players, especially talented veteran players whose contracts take up a significant portion of the salary cap. For these same reasons, the salary cap makes it difficult for teams to maintain a deep roster of experienced players and increases the chance that an injury replacement will not perform at the same level as the starter. In light of this fact and the results of our model, we suggest that the credo of the NFL be changed to “Any Given Season”.




Figure 9: A hand-generated joint model of the NFL coaching network using a relational dependency network representation. The RDN uses a modified plate notation to represent the dependencies between variables within and between different objects. Observed variables are shaded and unobserved variables are left unshaded. Solid arrows indicated observed dependencies in the data and dashed arrows indicate hypothesized dependencies. Autocorrelation dependencies (i.e., dependencies between different entities of the same type) are shown as self loops with an annotation indicating the structural path of the dependency (e.g., a team’s playoff performance is autocorrelated to the head coach’s playoff record in the past years). The large, bold arrows indicate relations occurring in the data. A dependency arrow connected to the dot in the corner of plate indicated a dependency on degree.

## Towards a Joint Model of the NFL Coaching Network

In the previous sections, we identified a number of variables that could be used to identify championship coaches and playoff teams. These variables only account for a small number of all the possible variables present in a complex network like the NFL. Figure 9 uses a relational dependency network (RDN) representation to display a joint model of the dependencies which have been identified in the data (solid lines) along with our hypothesized dependencies (dashed lines) (Neville & Jensen 2004). An RDN uses a modified plate notation to represent the dependencies between variables within and between different entities (Buntine 1994). As per convention, observed variables are shaded and unobserved variables are left unshaded.

The RDN was designed to be able to both represent and learn cyclic dependencies present in relational data. Autocorrelation, a type of cyclic dependence, is the correlation of the same variable on related entities. In the NFL, coaching skill can be autocorrelated through mentor coach as coaches taught by the same mentor tend to have similar levels of success. Autocorrelation and other cyclic dependencies are prevalent in relational domains (Jensen & Neville 2002).

In addition, joint models of relational data provide the opportunity for collective classification. Collective classification provides the opportunity to make simultaneous inferences about the same variable on related entities in the

data (Jensen, Neville, & Gallagher 2004). For example, in the NFL, strength of schedule is often used as a predictor of future performance. A team which is able to beat many strong teams should be ranked higher than a team with the same number of wins against weak teams. A collective inference procedure would allow inferences about the strength of one team to influence the inferences about the teams it has played.

Although the RDN shown in Figure 9 was generated by hand, it provides an example of the type of joint relational model that we would like to learn automatically from data. Relational dependencies occur when attributes on one type of entity influence the value of attributes on another entity. For example, we observed that in the NFL *HeadCoach.year\_with\_team* influences *Team.made\_playoffs*. Relational data are often heterogeneous and non-independent. For example, coaching staffs vary in size from team to team and over time. Also, a coach’s success may be autocorrelated through their mentors. There are a number of algorithms that have been developed for learning models of relational data (e.g., (Taskar, Abbeel, & Koller 2002; Neville *et al.* 2003; Neville & Jensen 2004; Richardson & Domingos 2006)). We chose the relational probability tree primarily for its understandability and its learning efficiency.

In addition to relational dependencies, we hypothesize the existence of (1) temporal dependencies and (2) complex structural dependencies in the NFL data. It is widely ac-

cepted in NFL circles that teams have a limited number of seasons in which to succeed. Since it is difficult to sustain success, it would be interesting to be able to learn how much past playoff performance is useful for predicting current success. We attempted to incorporate this idea into our analysis, however the relational probability tree models presented in this paper achieved the highest precision. In general, learning models for complex adaptive networks requires flexible temporal models which are able learn the extent of the relevant temporal interval and allow for differing temporal extent for different variables.

One example of a complex structural dependency can be found in the composition of coaching staffs. Each NFL coach typically specializes in either offense or defense over the course of his career. It is expected that teams with the proper balance of offense and defense among the coaching staff will succeed, whereas teams with a disproportionate emphasis on one side or the other will not fare as well. In addition, there is a football platitude that says "Defense wins championships." While this may be true, a team is unlikely to win if they are unable to score many points on offense. Currently, we do not have data indicating which coaches emphasize defense and which coaches emphasize offense. We could learn these data using Expectation-Maximization (EM) and proceed to test the complex structure hypothesis. While these complex dependencies are not able to be learned or represented by current models, we believe that these types of compositional interactions occur in many complex adaptive systems and are a fruitful area of study.

## Conclusion

The NFL coaching network is a complex adaptive network exhibiting rich interaction among the coaches and teams present in the data. With better methods for analyzing and interpreting the behavior of these complex systems, we will be able to foster the understanding needed to make better predictions and possibly influence the behavior of a given system. Fans, NFL general managers, and NFL owners all have some sense of how the network comes into play when choosing a new coach. We have shown that the mentors a coach has worked under is an important key to understanding how well that coach will do when given his first head coaching position. We have also demonstrated the effect that a coaching staff has on the success of a team. Future study should lead to deeper insight into the NFL as well as a collection of tools designed to more effectively model these types of data.

## Acknowledgements

The authors would like to thank Bob Carroll of the Professional Football Research Association ([www.footballresearch.com](http://www.footballresearch.com)) for graciously providing coaching histories through the 2000 season. We would also like to thank Dave Drinen at [pro-football-reference.com](http://pro-football-reference.com) for providing the win-loss and playoff records for every team since 1920.

This research is supported by the AFRL and DARPA under contract numbers F30602-01-2-0566 and HR0011-04-1-0013, respectively. The U.S. Government is authorized to reproduce and distribute reprints for governmental purposes notwithstanding any copyright notation hereon. The views and conclusions contained herein are those of the authors and should not be interpreted as necessarily representing the official policies or endorsements either expressed or implied, of AFRL, DARPA or the U.S. Government.

Portions of this analysis were conducted using PROXIMITY, an open-source software environment developed by the Knowledge Discovery Laboratory at the University of Massachusetts Amherst (<http://kdl.cs.umass.edu/proximity/>).

## References

- Battista, J. 2006. Hold that line, but don't hesitate to supersize the coaching staff. *New York Times*, July 12, 2006.
- Buntine, W. L. 1994. Operations for learning with graphical models. *Journal of Artificial Intelligence Research* 2:159–225.
- Jensen, D., and Neville, J. 2002. Linkage and autocorrelation cause feature selection bias in relational learning. In *Proceedings of the 19th International Conference on Machine Learning*, 259–266. Morgan Kaufman.
- Jensen, D.; Neville, J.; and Gallagher, B. 2004. Why collective inference improves relational classification. In *Proceedings of the 10th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*.
- Liu, R., and Marini, M., eds. 2004. *The NFL Record & Fact Book*. Sports Illustrated.
- Neville, J., and Jensen, D. 2004. Dependency networks for relational data. In *Proceedings of The 4th IEEE International Conference on Data Mining*.
- Neville, J.; Jensen, D.; Friedland, L.; and Hay, M. 2003. Learning relational probability trees. In *Proceedings of the 9th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*.
- Richardson, M., and Domingos, P. 2006. Markov logic networks. *Machine Learning* 62:107–136.
- Ryan, B. 2005. Coach went to school. *Boston Globe*, January 25, 2005.
- Smith, M. 2006. Coaching issue not simply about race. *ESPN.com*, January 24, 2006.
- Taskar, B.; Abbeel, P.; and Koller, D. 2002. Discriminative probabilistic models for relational data. In *Proceedings of Uncertainty in Artificial Intelligence*.